QUESTIONS FOR ANSWERS ON THE DAY

(but not taken up)

Pick-ups constructed in Channapatna Taluk

*Q.—342. Sri M. LINGE GOWDA (Kanakapura).—

Will the Government be pleased to state:—

(*a*) the number of pick-ups constructed in Channapatna Taluk during the past three years (information may be furnished year-wise with the name of each pick-up);

(*b*) the cost of construction of each pick-up;

(*c*) the estimated extent of atchkat brought under irrigation under each pick-up;

(*d*) the actual extent that has now come under atchkat under each pick-up;

(*e*) whether it has come to the notice of the Government that some of these pick-ups are put up across Hallas having no perennial supply of water and on that account they have miserably failed;

(*f*) whether they will furnish the names of such pick-ups with their cost of construction?

*A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*), (*b*), (*c*) and (*d*) 1957-58 : Nil.
1958-59 : 4
1959-60 : 3

Name of Pickups constructed. (*a*)	Cost (*b*)	Estimated atchkat (*c*)	Actual atchkat (*d*)
	Rs.	A.G.	A.G.
1957-58—Nil			
1958-59			
(1) Pickup across W.W. halla of Kodambally near Hanchipura.	7,000	16-0	16-0
(2) Pickup to feed S. No. 39, 40, 41 of Nagapura Village.	3,400	40-0	50-0
(3) Pickup across halla near Averahally	2,300	4-0	1-20
(4) Masonry weir near Ittiganahosahally	7,000	1110-0	110-0
1959-60			
(1) Pickup at Santhemagenahally	5,140	40-0	40-0
(2) Pickup near Brahmanipura	5,200	12-0	12-0
(3) Pickup near Gowdagere.	7,500	25-0	25-0

(*e*) None of these streams is perennial. The pickups put up are intended to utilise the flow during the rainy months of the year. The areas proposed under these pickups have been benefited to the extent mentioned above. No question of failure therefore arises.

(*f*) Does not arise in view of reply to clause (*e*).